



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/071,951	02/06/2002	Srinivasa Sesha Soma Sekhar Muppidi	21216-06215	3621

47827 7590 10/05/2005

BIRCH, STEWART, KOLASCH & BIRCH LLP
PO BOX 747
8110 GATEHOUSE ROAD, STE 500 EAST
FALLS CHURCH, VA 22040-0747

EXAMINER

LEE, DAVID J

ART UNIT PAPER NUMBER

2633

DATE MAILED: 10/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/071,951	Applicant(s) MUPPIDI ET AL.	
	Examiner David Lee	Art Unit 2633	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 February 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-53 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-53 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 June 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>6/10/02</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 11 and 35 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claims 11 and 35, it is unclear as to what is meant by "to adapt the response of at least one node..." Claims 11 and 35 recites the limitation "the response." There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000.

Art Unit: 2633

Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 1-13, 17-25, 29, 30, 34-43, and 47-53 are rejected under 35 U.S.C. 102(e) as being anticipated by DeVette (US Patent No. 6,718,141 B1).

Regarding claim 1, DeVette teaches a method to determine configuration information associated with an optical network having a plurality of optical nodes coupled by optical fiber spans (col. 4, lines 31-34), the method comprising: discovering at least one neighboring optical nodes (col. 2, lines 35-39), each neighboring optical node being coupled by a single optical span having at least one optical fiber (col. 4, lines 33-34); each node publishing at least one neighboring node to the network (col. 4, lines 40-60); and determining a network configuration having a topological map of network links corresponding to the discovered neighboring optical nodes (col. 2, lines 44-49).

Regarding claim 2, DeVette teaches generating an alarm signal indicative of a network configuration error responsive to detecting an error between the network configuration and a provisioned configuration (col. 28, lines 25-27).

Regarding claim 3, DeVette teaches that each node determines a network configuration from the published information it receives (col. 2, lines 55-58).

Regarding claim 4, DeVette teaches correlating information from each node to isolate the location of a configuration error (col. 3, lines 33-41).

Regarding claim 5, DeVette teaches that discovering at least one neighboring optical node comprises: each node receiving node identification messages from adjacent nodes that includes a unique source node identifier (col. 19, lines 30-40).

Regarding claim 6, DeVette teaches that each node publishes at least one node configuration attribute to the network (col. 2, lines 55-57: each node can have a processor which generates configuration data and publishes it).

Regarding claim 7, DeVette teaches each node forming an information model of the optical network (col. 2, lines 55-56: configuration data is considered the information model) and each node determining a network configuration having an arrangement of neighboring nodes consistent with the information model of the node (col. 2, lines 55-65).

Regarding claim 8, DeVette teaches that each node generates an alarm signal indicative of a network configuration error responsive to the node detecting an error in the network configuration (col. 28, lines 25-27).

Regarding claim 9, DeVette teaches correlating the alarm signals of the nodes to isolate a location of a configuration error (col. 3, lines 33-41).

Regarding claim 10, DeVette teaches forming an information model of the optical network (col. 2, lines 55-56: configuration data is considered the information model) and determining a network configuration having an arrangement of neighboring nodes consistent with the information model of the node (col. 2, lines 55-65).

Regarding claim 11, in view of the 112 problem above, DeVette teaches the issuing an error correction command responsive to determining that the network configuration differs from a planned configuration (col. 28, lines 25-27).

Regarding claim 12, DeVette teaches that the information model includes the identity of each span interface coupling neighboring nodes (col. 19, lines 30-40).

Regarding claim 13, DeVette teaches that the error is a fiber misconnection error and an alarm signal is issued responsive to determining incorrectly corrected optical fibers (col. 2, lines 1-5 and lines 35-38).

Regarding claim 17, DeVette teaches a method to determine configuration information associated with an optical network having a plurality of optical nodes coupled by optical fiber spans (col. 4, lines 31-34), the method comprising: discovering at least one pair of neighboring optical nodes (col. 2, lines 35-39), each pair of neighboring optical node being coupled by a single optical span having at least one optical fiber (col. 4, lines 33-34); determining a network configuration having a topological map of network links corresponding to the discovered neighboring optical nodes (col. 2, lines 44-49); and generating an alarm signal indicative of a network configuration error responsive to detecting an error between the network configuration and a provisioned configuration (col. 28, lines 25-27).

Regarding claim 18, DeVette teaches each node receiving node identification message from adjacent nodes that includes a unique source node identifier (col. 19, lines 30-40); and each node publishing its neighboring node to the network (col. 4, lines 40-60).

Regarding claim 19, DeVette teaches that each node publishes at least one node configuration attribute to the network (col. 2, lines 55-57: each node can have a processor which generates configuration data and publishes it).

Regarding claim 20, DeVette teaches each node forming an information model of the optical network (col. 2, lines 55-56: configuration data is considered the information model) and each node determining a network configuration having an arrangement of neighboring nodes consistent with the information model of the node (col. 2, lines 55-65).

Regarding claim 21, DeVette teaches that each node generates an alarm signal indicative of a network configuration error responsive to the node detecting an error in the network configuration (col. 28, lines 25-27).

Regarding claim 22, DeVette teaches correlating the alarm signals of the nodes to isolate a location of a configuration error (col. 3, lines 33-41).

Regarding claim 23, DeVette teaches forming an information model of the optical network (col. 2, lines 55-56: configuration data is considered the information model) and determining a network configuration having an arrangement of neighboring nodes consistent with the information model of the node (col. 2, lines 55-65).

Regarding claim 24, DeVette teaches that the information model includes the identity of each span interface (the span interface is fiber) coupling neighboring nodes (col. 19, lines 30-40).

Regarding claim 25, DeVette teaches that the error is a fiber misconnection error and an alarm signal is issued responsive to determining incorrectly corrected optical fibers (col. 2, lines 1-5 and lines 35-38).

Regarding claim 29, DeVette teaches a method to determine configuration information associated with an optical network having a plurality of optical nodes coupled by optical fiber spans (col. 4, lines 31-34), the method comprising: exchanging identification messages between neighboring nodes (col. 4, lines 40-60), each identification message including a source node identifier and node configuration data (col. 19, lines 30-40); for each node, publishing the identity of the node, the identity of its neighbors, and the node configuration data associated with the node (col. 4, lines 40-48; fig. 6B); and determining a network configuration consistent with the published node information (col. 4, lines 41-43).

Regarding claim 30, DeVette teaches generating an alarm signal indicative of a configuration error responsive to detecting an error in the network configuration (col. 28, lines 25-27).

Regarding claim 34, DeVette teaches that the nodes publish information sufficient to determine the span interfaces by which they are coupled to neighboring nodes (optical fiber) and the alarm signal is an incorrect fiber connection alarm signal generated responsive to determining that at least one node has incorrectly connected fibers (col. 2, lines 1-5 and lines 35-38).

Regarding claim 35, in view of the 112 problem above, DeVette teaches the issuing an error correction command responsive to determining that the network configuration differs from a planned configuration (col. 28, lines 25-27).

Regarding claim 36, DeVette teaches an optical node for a optical network, comprising: an optical transport complex for adding, dropping, and passing through optical channels (fig. 1; col. 6, lines 35-39); an administrative complex for administering the optical transport complex (123 of fig. 1: central network monitor; Abstract, lines 21-25) and having a memory adapted to receive provisioning data for the optical transport complex (fig. 7a; col. 6, lines 1-4); an inter-node communication module coupled to the administrative complex (124 of fig. 1: the fiber is an "inter-node communication module" in that it is for communicating with neighbor nodes on an inter-node data channel) for communicating with neighboring nodes on an inter-node data channel and publishing data to the optical network (col. 4, lines 43-50); and a configuration discovery module exchanging node identification and configuration data with other nodes to determine the network configuration (col. 4, lines 35-45).

Regarding claim 37, DeVette teaches a neighbor discovery and publication module to exchange node identification messages with neighboring nodes and publish neighbor information to the optical network (col. 4, lines 35-50: configuration signal processor); a configuration analysis module forming an information model of the optical network consistent with the node relationships of the neighbor information (col. 4, lines 35-45: mapping processor); and an alarm generator comparing the information model

with the provisioning data and generating a configuration alarm responsive to detecting an error in the network configuration (col. 28, lines 25-27).

Regarding claim 38, DeVette teaches node configuration data comprising a node identifier and at least one network attribute associated with the node (col. 2, lines 55-57; col. 19, lines 30-40).

Regarding claim 39, DeVette teaches that the configuration discovery module issues an alarm signal responsive to detecting a configuration error (col. 28, lines 25-27).

Regarding claim 40, DeVette teaches a plurality of optical nodes, each node having at least one neighbor node which is coupled to it by an optical span (101-122 of fig. 1); each node having an inter-node communication module to communicate with the other nodes of the network (124 of fig. 1: the fiber is an "inter-node communication module" in that it is for communicating with neighbor nodes on an inter-node data channel); each node configured to identify itself to its neighbors and to publish the identity of its neighbors to the optical network (col. 19, lines 30-40; col. 4, lines 45-55); and at least one of the nodes configured to form a model of the network configuration from published neighbor information (col. 4, lines 41-43).

Regarding claim 41, DeVette teaches that at least one of the nodes is configured to issue an alarm signal responsive to the network configuration being different from a provisioned network configuration (col. 28, lines 25-27).

Regarding claim 42, DeVette teaches that each node publishes a node identifier and at least one node attribute to its neighbors and the model of the network includes the at least one node attribute (col. 19, lines 30-40; col. 4, lines 41-55).

Regarding claim 43, DeVette teaches that at least one of the nodes is configured to issue an alarm responsive to the network configuration being different from a provisioned network configuration (col. 28, lines 25-27).

Regarding claim 47, DeVette teaches an optical transport complex for adding, dropping, and passing through optical channels (fig. 1; col. 6, lines 35-39); and an administrative complex for administering the optical transport complex (123 of fig. 1: central network monitor; Abstract, lines 21-25) and having a memory adapted to receive provisioning data for the optical transport complex (fig. 7a; col. 6, lines 1-4)

Regarding claim 48, DeVette teaches an element management system (Abstract, lines 21-25: central network monitor) coupled to receive the model of the network configuration and issuing an error correction command responsive to determining a network configuration error (col. 12, lines 43-48).

Regarding claim 49, DeVette teaches that the error correction command comprises provisioning at least one of the nodes (col. 12, lines 43-48).

Regarding claim 50, DeVette teaches that the error correction command is an instruction to alter a node component (col. 12, lines 43-48).

Regarding claim 51, DeVette teaches an optical network, comprising: a plurality of optical nodes coupled by optical spans (101-122 of fig. 1), each node including an inter-node communications capability to communicate messages with neighboring

Art Unit: 2633

nodes and to publish information to the optical network (optical fiber); neighbor discovery means for discovering the identity of neighboring nodes (col. 2, lines 35-38 and lines 60-65); configuration analysis means for determining a configuration of the optical network having a topology map corresponding to the neighboring nodes (col. 2, lines 46-49); and alarm means for generating an alarm signal indicative of a configuration error (col. 28, lines 25-27).

Regarding claim 52, DeVette teaches that the neighbor discovery means exchanges node identification messages between adjacent nodes and publishes neighbor information to the network (col. 4, lines 42-50).

Regarding claim 53, DeVette teaches that each node further publishes at least one additional node attribute to at least one other node (col. 4, lines 40-50).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 14-16, 26-28, and 44-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over DeVette.

Regarding claims 14-16, 26-28, 31-33, and 44-46, DeVette teaches the limitations of claims 2, 23, 30, and 43, but does not specifically disclose that the error is because of an incompatible node type, setting, or parameter. However, Examiner takes

Art Unit: 2633

official notice that errors from incompatible node types, settings and parameters exist and alerting a configuration system or a technician when such errors occur is well known in the art. It would have been obvious to one of ordinary skill in the art at the time of invention to issue an incompatible node type, setting, or parameter alarm in order to correct the problem and maintain a functional network configuration. Also, in regards to claims 31-33, DeVette does not expressly disclose a node type, setting, or parameter included in the configuration data, but it is disclosed that the data includes node identification data (col. 19, lines 30-40). It would have been obvious to one of ordinary skill in the art at the time of invention to include the node type, setting, or parameter in the data in order to have more information regarding each of the nodes.

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Patent No. 6,751,189 B1 is cited to show a system and method to configure a network by obtaining connectivity information about nodes, and also to dynamically update network topology information in real time (see Abstract).

US Pub. No. 2002/0191241 A1 is cited to show an optical network with topology discovery (see Abstract).

US Pub. No. 2002/0030864 A1 is cited to show a method to configure an optical network determine the network topology and to provide troubleshooting (see Abstract).

Art Unit: 2633


8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Lee whose telephone number is (571) 272-2220.

The examiner can normally be reached on Monday - Friday, 9:00 am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571) 272-3022. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DL


M. R. SEDIGHIAN
PRIMARY EXAMINER